



Overexport

			Price EXW Spain	
Código	Descripción general	Stock Total	Precio	Total
000700478	Pantalla Estanca IP65 tubos fluorescentes T8 2x36W	240	16,60 €	3.984,00 €
000704758	Plafon techo LED Cloud 32W 3000K	142	29,05 €	4.125,57 €
000704760	Plafon techo LED Cloud 60W 3000K	230	43,81 €	10.077,07 €
000704778	Plafon techo LED Frisbee 30W 3000K	40	74,52 €	2.980,80 €
000704779	Plafon techo LED Frisbee 44W 3000K	69	100,27 €	6.918,40 €
000704780	Plafon techo LED Frisbee 111W 3000K	96	222,04 €	21.315,84 €
000704781	Plafon techo LED Rose 70W 3000K	10	127,15 €	1.271,47 €
000704782	Plafon techo LED Rose 90W 3000K	78	198,60 €	15.490,80 €
000704783	Plafon techo LED Orbed 46W 3000K	49	82,99 €	4.066,35 €
000704785	Plafon techo LED Orbed 87W 3000K	64	134,47 €	8.605,87 €
000704786	Plafon techo LED Orbed 87W 4200K	14	134,47 €	1.882,53 €
000704789	Plafon techo LED Arum 42W 4200K Blanco	3	105,64 €	316,92 €
000704791	Plafon techo LED Arum 42W 3000K Gris	15	111,40 €	1.671,00 €
000704792	Plafon techo cuadrado LED 72W 3000K	71	109,48 €	7.773,08 €
000704794	Plafon techo rectangular LED 48W 3000K	45	94,51 €	4.252,80 €
000705257	Panel Kenya 24W 4200K Blanco	212	20,17 €	4.276,75 €
000705336	Plafon techo Oracle 30W de 3000K a 6500K Regulable	100	49,21 €	4.921,33 €
000705337	Plafon techo Filigrana 30W de 3000K a 6500K Regulable	130	46,17 €	6.002,53 €
001704756	Regleta LED esquina toma + interruptor 15W 6500K	30	19,85 €	595,60 €
001704757	Regleta LED esquina toma + interruptor 20W 6500K	80	25,51 €	2.040,53 €
001705294	Regleta LED Baño con toma 15W 6500K IP44	80	18,04 €	1.443,20 €
002002336	Lámpara reflectora R39 4W E14 3000K	200	1,21 €	242,67 €
002003511	Lámpara Serie Cristal Esférica LED 4W E14 6000K	300	1,91 €	572,00 €
002004872	Lámpara PL 2PIN LED 7W G23 4200K	150	2,79 €	418,00 €
002004897	Lámpara LED esférica 5.5W E27 3000K 24V	120	2,60 €	312,00 €
002004898	Lámpara LED esférica 5.5W E27 6000K 24V	130	2,60 €	338,00 €
002005152	Lámpara esférica crepuscular 5W E27 6000K	500	3,47 €	1.733,33 €
002005153	Lámpara esférica presencia + crepuscular 5W E27 2700K	200	4,15 €	829,33 €
002005154	Lámpara esférica presencia + crepuscular 5W E27 6000K	300	4,15 €	1.244,00 €
002005155	Lámpara dicróica crepuscular 5W GU10 2700K	350	3,79 €	1.325,33 €
002005156	Lámpara dicróica crepuscular 5W GU10 6000K	400	3,79 €	1.514,67 €
002005157	Lámpara globo crepuscular 12W E27 2700K	500	5,48 €	2.740,00 €
002005158	Lámpara globo crepuscular 12W E27 6000K	500	5,48 €	2.740,00 €
002005159	Lámpara estándar presencia+crepuscular+ON 10W E27 2700K	360	5,87 €	2.112,00 €
002005160	Lámpara estándar presencia+crepuscular+ON 10W E27 6000K	200	5,87 €	1.173,33 €
008000926	Lámpara vela 3W E14 3000K - 10u caja exp	1200	0,48 €	576,00 €
008000929	Lámpara esférica 3W E14 3000K - 10u caja exp	1200	0,47 €	560,00 €
008000934	Lámpara esférica 3W E27 6000K - 10u caja exp	1500	0,47 €	700,00 €
008000949	Aplique Ayane 4W 4200K IP54 Negro	100	9,48 €	948,00 €
008000950	Aplique Ayane 4W 6000K IP54 Negro	80	9,48 €	758,40 €
008000953	Aplique Bona 4W 4200K IP54 Negro	160	9,48 €	1.516,80 €
008000954	Aplique Bona 4W 6000K IP54 Negro	160	9,48 €	1.516,80 €
008000955	Aplique Bogale 8W 4200K IP54 Negro	160	12,45 €	1.992,53 €
008000961	Aplique Cherecka 6W 4200K IP65 Antarcita	210	12,77 €	2.682,40 €
008000963	Aplique Cherecka 6W 4200K IP65 Blanco	210	13,20 €	2.772,00 €
008000964	Aplique Cherecka 6W 6000K IP65 Blanco	60	13,20 €	792,00 €
106005000	Display power bank Duracell 6uds 3350mAh y 6uds 6700mAh	25	200,00 €	5.000,00 €
200650009	Lámpara lineal 78mm R7s 8W 2700K	430	3,95 €	1.697,07 €
200650010	Lámpara lineal 78mm R7s 8W 4200K	560	3,95 €	2.210,13 €
200650011	Lámpara lineal 78mm R7s 8W 6000K	560	3,95 €	2.210,13 €
200650012	Lámpara lineal 118mm R7s 14W 2700K	980	4,93 €	4.834,67 €
200650013	Lámpara lineal 118mm R7s 14W 4200K	880	4,93 €	4.341,33 €
200650014	Lámpara lineal 118mm R7s 14W 6000K	1260	4,93 €	6.216,00 €
200650017	Lámpara lineal 118mm R7s 16W 6000K	340	5,93 €	2.017,33 €
200675009	Lámpara 1.8W G4 3000K 12V	1250	1,13 €	1.416,67 €
201005005	Downlight superficie Adana 6W 6000K	300	5,35 €	1.604,00 €
203200000	Display pantallas estancias Maidu	12	333,33 €	4.000,00 €
203200004	Display pantallas estancias Caddo	16	533,33 €	8.533,33 €
203210000	Pantalla luminosa LED Berke 24W 4200K IP44	60	18,44 €	1.106,40 €
203605000	Plafon techo Kiruna 24W 3000K a 6500K regulable	100	31,93 €	3.193,33 €
203605003	Plafon techo Kiruna 36W 3000K a 6500K regulable	100	43,88 €	4.388,00 €
203605007	Plafon techo Venus 24W 3000K a 6500K regulable	260	32,15 €	8.358,13 €
203605011	Plafon techo Venus 30W (3000K - 6000K) y 60W (4200K) regulable	100	44,79 €	4.478,67 €
203605014	Plafon techo Milano + luz noche 30W (3000K - 6000K) y 60W (4200K) regulable	80	63,15 €	5.051,73 €
203605028	Plafon techo Samara 13W 4200K	270	7,20 €	1.944,00 €
203605029	Plafon techo Samara 17W 4200K	270	9,17 €	2.476,80 €
203605030	Plafón techo Samara 24W 4200K	60	11,08 €	664,80 €
203605034	Plafón techo Level 20W 3000K	80	10,33 €	826,67 €
203605035	Plafón techo Level 32W 3000K	30	14,15 €	424,40 €
203605036	Plafón techo Level 42W 3000K	30	18,81 €	564,40 €
203620001	Plafón techo inteligente Paris con altavoz 24W RGB 3000K	100	40,77 €	4.077,33 €
203800000	Regleta LED electrónica Abaw 25W 4200K	110	13,04 €	1.434,40 €
203800012	Regleta LED electrónica T8 Liben 25W 4200K	60	12,57 €	754,40 €
203800014	Regleta LED electrónica T8 Liben 48W 4200K	120	24,52 €	2.942,40 €
203800015	Regleta LED electrónica T8 Liben 48W 6500K	50	24,52 €	1.226,00 €
		19541,00		234.114,57 €

PANTALLA

ESTANCA DOBLE



Reactancia con equipo en alto factor de reactancia magnética.



Waterproof fluorescent fitting ligh / Réglette -boîtier simple pour tube fluorescent T8 / Luminária para o tubo T8 fluorescente / Plafoniera stagna per 1 tubo fluorescente / Feuchtraum Wanneneuchte für T8 Leuchtstoffroh

Tipo // Kind // Type // Digite // Tipo // Geben Sie ein **2x120cm / T8**

Color // Color // Couleur // Cor // Colore // Farbe **Transparente**

Repele el polvo **Sí**

Para // For // Pour // Para // Per // Für **2 tubos T8 Fluorescentes**

Dimensión //Size //Dimension //Dimensione //Dimensão //Ausmaß **1250x150x90mm**

IP **IP65**

Material // Housing // Matériel // Material // Materiale // Stof **ABS + Policarbonato**

Voltaje // Voltage // Tension // Voltagem // Tensione // Spannung **220-240V**

Hz **50Hz**


Embalaje // Packing// Emballage // Embalagem // Imballaggio // Verpackung **6**

PLAFÓN LED

TECHO CLOUD 32W



Overexport



80%
AHORRO ENERGÍA
ENERGY SAVING

3000K
 120°
 30.000h.
 32W | 200W
 Ø500x470x110mm

On/Off.: 15.000 | CRI≥80 | PF≥0.5 | AA*

Surface led ceiling lamp // Plafonnier led // Luminária led // Plafoniera led // Led-deckenleuchte

Potencia // Energy used // Puissance // Poder // Potenza // Potenz **32W**

Luminosidad // Brightness // Luminosité // Luminosidade // Luminosità // Lichtstärke **2100Lm**

Temperatura // Light apparence // Température // Aparência leve // Temperatura // Leichte Optik

Cálida / Warm **Fría / Cold**
3000K

Temp. funcionamiento // Working temp. // Température de fonctionnement // Temperatura de operação // Temperatura di esercizio // Betriebstemperatur

Máx. +45°C **Mín. -15°C**

Color // Color // Couleur // Cor // Colore // Farbe **Blanco**

Ángulo apertertura // Beam angle // Angle de faisceau // Ângulo de feixe // Angolo del fascio // Öffnungswinkel **120°**

Tiempo de encendido // Starting time // Heure de départ // Hora de início // Tempo di partenza // Anfangszeit **<0.5s**

Luz completa inmediata // Instant full light // Éclairage instantané // Luz plena instantânea // Luce istantanea completa // Sofortiges volles Licht **100%**

Dimensión // Size // Dimension // Dimensione // Dimensão // Ausmaß **Ø500x470x110mm**

Material // Housing // Matériel // Material // Materiale // Stof **Plástico**

ON/OFF **15.000**

PF **≥0.5**

CRI (Ra) **≥80**

Hg **0.0**

mA **300mA**

IP **IP20**

Vida // Life // Vie // Vida // Vita // Leben **30.000h.**

Voltaje // Voltage // Tension // Voltagem // Tensione // Spannung **220-240V**

Hz **50Hz**

Embalaje // Packing // Emballage // Embalagem // Imballaggio // Verpackung **5**

BENEFICIOS: reduce el consumo, el mantenimiento, no parpadea, protege el medio ambiente, no contiene mercurio...
APLICACIONES: casas, hoteles, restaurantes, supermercados, oficinas, negocios, bares,...

BENEFITS: it reduces consumption, maintenance, it does not flash, it protects the environment, does not contain mercury,....
APPLICATIONS: houses, hotels, restaurants, supermarkets, offices, businesses, bars,...

AVANTAGES: faible consommation et maintenance, ne clignote pas, respectueuse de l'environnement, ne contient pas de mercure.
APPLICATIONS: foyers, hotels, restaurants, supermarchés, bureaux, bars,...

BENEFÍCIOS: reduz consumo, manutenção, ele não pisca, protege o ambiente, não contém mercúrio...
APLICAÇÕES: casas, hotéis, restaurantes, supermercados, escritórios, empresas, bares,...

VANTAGGI: riduce consumi, manutenzione, esso non lampeggia, protegge l'ambiente, non contiene mercurio...
APPLICAZIONI: case, alberghi, ristoranti, supermercati, uffici, aziende, bar,...


VORTEILE: es senkt verbrauch, wartung, es leuchtet nicht, es schont die umwelt, enthält kein quecksilber...
ANWENDUNGEN: häuser, hotels, restaurants, supermärkte, büros, geschäfte, bars,...

PLAFÓN LED

TECHO CLOUD 32W



Overexport



80%
AHORRO ENERGÍA
ENERGY SAVING

3000K
 120°
 30.000h.
 32W | 200W
 Ø500x470x110mm

On/Off.: 15.000 | CRI≥80 | PF≥0.5 | AA*

Surface led ceiling lamp // Plafonnier led // Luminária led // Plafoniera led // Led-deckenleuchte

Potencia // Energy used // Puissance // Poder // Potenza // Potenz **32W**

Luminosidad // Brightness // Luminosité // Luminosidade // Luminosità // Lichtstärke **2100Lm**

Temperatura // Light apparence // Température // Aparência leve // Temperatura // Leichte Optik

Cálida / Warm **Fría / Cold**

 3000K

Temp. funcionamiento // Working temp. // Température de fonctionnement // Temperatura de operação // Temperatura di esercizio // Betriebstemperatur

Máx. +45°C **Mín. -15°C**

Color // Color // Couleur // Cor // Colore // Farbe **Blanco**

Ángulo apertertura // Beam angle // Angle de faisceau // Ângulo de feixe // Angolo del fascio // Öffnungswinkel **120°**

Tiempo de encendido // Starting time // Heure de départ // Hora de início // Tempo di partenza // Anfangszeit **<0.5s**

Luz completa inmediata // Instant full light // Éclairage instantané // Luz plena instantânea // Luce istantanea completa // Sofortiges volles Licht **100%**

Dimensión // Size // Dimension // Dimensione // Dimensão // Ausmaß **Ø500x470x110mm**

Material // Housing // Matériel // Material // Materiale // Stof **Plástico**

ON/OFF **15.000**

PF **≥0.5**

CRI (Ra) **≥80**

Hg **0.0**

mA **300mA**

IP **IP20**

Vida // Life // Vie // Vida // Vita // Leben **30.000h.**

Voltaje // Voltage // Tension // Voltagem // Tensione // Spannung **220-240V**

Hz **50Hz**

Embalaje // Packing // Emballage // Embalagem // Imballaggio // Verpackung **5**

BENEFICIOS: reduce el consumo, el mantenimiento, no parpadea, protege el medio ambiente, no contiene mercurio...
APLICACIONES: casas, hoteles, restaurantes, supermercados, oficinas, negocios, bares,...

BENEFITS: it reduces consumption, maintenance, it does not flash, it protects the environment, does not contain mercury,....
APPLICATIONS: houses, hotels, restaurants, supermarkets, offices, businesses, bars,...

AVANTAGES: faible consommation et maintenance, ne clignote pas, respectueuse de l'environnement, ne contient pas de mercure.
APPLICATIONS: foyers, hotels, restaurants, supermarchés, bureaux, bars,...

BENEFÍCIOS: reduz consumo, manutenção, ele não pisca, protege o ambiente, não contém mercúrio...
APLICAÇÕES: casas, hotéis, restaurantes, supermercados, escritórios, empresas, bares,...

VANTAGGI: riduce consumi, manutenzione, esso non lampeggia, protegge l'ambiente, non contiene mercurio...
APPLICAZIONI: case, alberghi, ristoranti, supermercati, uffici, aziende, bar,...


VORTEILE: es senkt verbrauch, wartung, es leuchtet nicht, es schont die umwelt, enthält kein quecksilber...
ANWENDUNGEN: häuser, hotels, restaurants, supermärkte, büros, geschäfte, bars,...



Overexport

PLAFÓN LED

TECHO CLOUD 32W



80%
AHORRO ENERGÍA
ENERGY SAVING

3000K 120° 30.000h. 32W | 200W Ø500x470x110mm

On/Off.: 15.000 | CRI≥80 | PF≥0.5 | AA*

Surface led ceiling lamp // Plafonnier led // Luminária led // Plafoniera led // Led-deckenleuchte

Potencia // Energy used // Puissance // Poder // Potenza // Potenz **32W**

Luminosidad // Brightness // Luminosité // Luminosidade // Luminosità // Lichtstärke **2100Lm**

Temperatura // Light apparence // Température // Aparência leve // Temperatura // Leichte Optik

Cálida / Warm **Fría / Cold**
3000K

Temp. funcionamiento // Working temp. // Température de fonctionnement // Temperatura de operação // Temperatura di esercizio // Betriebstemperatur

Máx. +45°C **Mín. -15°C**

Color // Color // Couleur // Cor // Colore // Farbe **Blanco**

Ángulo apertertura // Beam angle // Angle de faisceau // Ângulo de feixe // Angolo del fascio // Öffnungswinkel **120°**

Tiempo de encendido // Starting time // Heure de départ // Hora de início // Tempo di partenza // Anfangszeit **<0.5s**

Luz completa inmediata // Instant full light // Éclairage instantané // Luz plena instantânea // Luce istantanea completa // Sofortiges volles Licht **100%**

Dimensión // Size // Dimension // Dimensione // Dimensão // Ausmaß **Ø500x470x110mm**

Material // Housing // Matériel // Material // Materiale // Stof **Plástico**

ON/OFF **15.000**

PF **≥0.5**

CRI (Ra) **≥80**

Hg **0.0**

mA **300mA**

IP **IP20**

Vida // Life // Vie // Vida // Vita // Leben **30.000h.**

Voltaje // Voltage // Tension // Voltagem // Tensione // Spannung **220-240V**

Hz **50Hz**

Embalaje // Packing // Emballage // Embalagem // Imballaggio // Verpackung **5**

BENEFICIOS: reduce el consumo, el mantenimiento, no parpadea, protege el medio ambiente, no contiene mercurio...
APLICACIONES: casas, hoteles, restaurantes, supermercados, oficinas, negocios, bares,...

BENEFITS: it reduces consumption, maintenance, it does not flash, it protects the environment, does not contain mercury,....
APPLICATIONS: houses, hotels, restaurants, supermarkets, offices, businesses, bars,...

AVANTAGES: faible consommation et maintenance, ne clignote pas, respectueuse de l'environnement, ne contient pas de mercure.
APPLICATIONS: foyers, hotels, restaurants, supermarchés, bureaux, bars,...

BENEFÍCIOS: reduz consumo, manutenção, ele não pisca, protege o ambiente, não contém mercúrio...
APLICAÇÕES: casas, hotéis, restaurantes, supermercados, escritórios, empresas, bares,...

VANTAGGI: riduce consumi, manutenzione, esso non lampeggia, protegge l'ambiente, non contiene mercurio...
APPLICAZIONI: case, alberghi, ristoranti, supermercati, uffici, aziende, bar,...

VORTEILE: es senkt verbrauch, wartung, es leuchtet nicht, es schont die umwelt, enthält kein quecksilber...
ANWENDUNGEN: häuser, hotels, restaurants, supermärkte, büros, geschäfte, bars,...